

## Storm Cold Store Units

UNITS Connect Direct to 220/240 50/60Hz Supplies

Please contact us for pricing and delivery of the product of interest by clicking on it's image

### Specification:

IP 65 Wall or Panel Mounting Polycarbonate Enclosure

- \* 4 temp. sensors.
- \* 1 door monitor input
- \* 1 defrost input
- \* 24 column printer
- \* 10 year clock\*
- \* Daylight saving time
- \* Indefinite data storage time on power failure
- \* RS 232 input/output\* LCD Temp. Display
- \* Data download facility
- \* Mains Operated
- \* Now, Day, Print-all tickets
- \* 220/240 volts 50/60Hz ac
- \* New Print back from Feature

Specification:

IP65 Wall or Panel Mounting Stainless Steel enclosure

\* 6 temp. sensor inputs \* 2 door monitor inputs

\* 2 defrost inputs

\* 24 column printer

\* 7 languages \* 10 year clock

\* Daylight saving time

\* Indefinite data storage time on power failure

\* RS 232 input/output

\* Data download facility

\* Now, Day, Print-all tickets

\* 220/240 volts 50/60Hz ac

\* New Print back from Feature

Specification:

IP65 Wall or Panel Mounting Polycarbonate Enclosure

\* 6 temp. sensor inputs

\* 2 door monitor inputs

\* 2 defrost inputs

\* 24 column printer

\* 7 languages \* 10 year clock

\* Daylight saving time

\* Indefinite data storage time on power failure

\* RS 232 input/output

\* Data download facility

\* Now, Day, Print-all tickets

\* 220/240 volts 50/60Hz ac

\* New Print back from Feature